Snow cover heterogeneity and its impact on the Climate and Carbon cycle of Arctic regions (SnowC²)

Mickaël Lalande – ESA CCI Postdoc Fellow at UQTR / RIVE / GLACIOLAB
supervised by Christophe Kinnard and Alexandre Roy

Problematic

- The Arctic has warmed 2 to 3 times faster than the global average (e.g., Cohen et al., 2014) ; nearly four times faster than the globe since 1979 (Rantanen et al., 2022)
- Impacts on ecosystems and human activities such as transportation, resource extraction, water supply, land use and infrastructure among others.
- Current snow models fail to capture essential aspects of Arctic snowpacks (depth hoar + wind slab + spatial heterogeneity).



Domine et al., (2019)



Figure 3. Comparison of measured snow density profiles at Bylot Island in May 2015 with those simulated using the detailed snow models Crocus and SNOWPACK. Crocus runs of 6 May are shown because Crocus simulates melting on 7 May, and this extra process makes comparisons irrelevant on 12 May.

Domine et al., (2018)

Objectives

1. **This poster:** adapt the current snow model of the Canadian Land Surface Scheme Including Biogeochemical Cycles (CLASSIC) LSM to the Arctic conditions (1D simulations)
2. **Next work:** include new snow cover fraction parameterizations + Arctic adaptations in spatial Arctic simulations → use of ESA CCI data (snow, land type, etc.) to calibrate and assess these new developments
3. Produce improved Arctic simulations with new snowpack (snow, energy/carbon fluxes, etc.)

Methods





Melton et al. (2020)

- CLASSIC v1.0 LSM (Melton et al., 2020)
- → couples CLASS 3.6.2 (physics energy/water fluxes; Verseghy et al., 2017) and CTEM 2.0 (photosynthesis, carbon cycle, etc.; Melton & Arora, 2016)
- → single layer snow model (quadratic temperature profile, percolation and refreezing, interception, etc.) + one of the best snow model (Menard et al., 2021)
- → used operationally within the Canadian Earth System Model (CanESM; Swart et al., 2019) for climate change impact assessment (CMIP6, SnowMIP, Global Carbon Project, etc.)

Model improvements

Physics improvements

- Soil conductivity under snow (bug)



- Bottom snow temperature (TSNB)

$$\left(\frac{\Delta z_{snow} T_{snow} + \Delta z_{soil_1} T_{soil_1}}{\Delta z_{snow} + \Delta z_{soil_1}}\right) \rightarrow \left(\frac{\frac{1}{\Delta z_{snow}} T_{snow} + \frac{1}{\Delta z_{soil_1}} T_{soil_1}}{\frac{1}{\Delta z_{snow}} + \frac{1}{\Delta z_{soil_1}}}\right)$$

- Windless exchange coefficient (EZERO)



Brown et al., (2006)

Arctic adaptation

- Blowing snow sublimation losses (Gordon et al., 2006)
- Wind effect on snow compaction



- Snow conductivity (Sturm et al., 1997 → Calonne et al., 2011)

Results: in-situ model assessment





Domine et al., (2021)

References

Brown, R., Bartlett, P., MacKay, M., & Verseghy, D. (2006). Evaluation of snow cover in CLASS for SnowMIP. Atmosphere-Ocean, 44(3), 223-238. https://doi.org/10.3137/ao.440302

Calonne, N., Flin, F., Morin, S., Lesaffre, B., du Roscoat, S. R., & Geindreau, C. (2011). Numerical and experimental investigations of the effective thermal conductivity of snow. Geophysical Research Letters, 38(23). https://doi.org/10.1029/2011GL049234

Cohen, J., Screen, J. A., Furtado, J. C., Barlow, M., Whittleston, D., Coumou, D., Francis, J., Dethloff, K., Entekhabi, D., Overland, J., & Jones, J. (2014). Recent Arctic amplification and extreme mid-latitude weather. Nature Geoscience, 7(9), 627-637. https://doi.org/10.1038/ngeo2234

Domine, F., Belke-Brea, M., Sarrazin, D., Arnaud, L., Barrere, M., & Poirier, M. (2018). Soil moisture, wind speed and depth hoar formation in the Arctic snowpack. Journal of Glaciology, 64(248), 990-1002. https://doi.org/10.1017/jog.2018.89

Domine, F., Picard, G., Morin, S., Barrere, M., Madore, J.-B., & Langlois, A. (2019). Major Issues in Simulating Some Arctic Snowpack Properties Using Current Detailed Snow Physics Models : Consequences for the Thermal Regime and Water Budget of Permafrost. Journal of Advances in Modeling Earth Systems, 11(1), 34-44. https://doi.org/10.1029/2018MS001445

Domine, F., Lackner, G., Sarrazin, D., Poirier, M., & Belke-Brea, M. (2021). Meteorological, snow and soil data (2013–2019) from a herb tundra permafrost site at Bylot Island, Canadian high Arctic, for driving and testing snow and land surface models. Earth System Science Data, 13(9), 4331-4348. https://doi.org/10.5194/essd-13-4331-2021

Gordon, M., Simon, K., & Taylor, P. A. (2006). On snow depth predictions with the Canadian land surface scheme including a parametrization of blowing snow sublimation. Atmosphere-Ocean, 44(3), 239-255. https://doi.org/10.3137/ao.440303

Melton, J. R., & Arora, V. K. (2016). Competition between plant functional types in the Canadian Terrestrial Ecosystem Model (CTEM) v. 2.0. Geoscientific Model Development, 9(1), 323-361. https://doi.org/10.5194/gmd-9-323-2016

Melton, J. R., Arora, V. K., Wisernig-Cojoc, E., Seiler, C., Fortier, M., Chan, E., & Teckentrup, L. (2020). CLASSIC v1.0 : The open-source community successor to the Canadian Land Surface Scheme (CLASS) and the Canadian Terrestrial Ecosystem Model (CTEM) – Part 1 : Model framework and site-level performance. Geoscientific Model Development, 13(6), 2825-2850. https://doi.org/10.5194/gmd-13-2825-2020

Menard, C. B., Essery, R., Krinner, G., Arduini, G., Bartlett, P., Boone, A., Brutel-Vuilmet, C., Burke, E., Cuntz, M., Dai, Y., Decharme, B., Dutra, E., Fang, X., Fierz, C., Gusev, Y., Hagemann, S., Haverd, V., Kim, H., Lafaysse, M., ... Yuan, H. (2021). Scientific and Human Errors in a Snow Model Intercomparison. Bulletin of the American Meteorological Society, 102(1), E61-E79. https://doi.org/10.1175/BAMS-D-19-0329.1

Rantanen, M., Karpechko, A. Yu., Lipponen, A., Nordling, K., Hyvärinen, O., Ruosteenoja, K., Vihma, T., & Laaksonen, A. (2022). The Arctic has warmed nearly four times faster than the globe since 1979. Communications Earth & Environment, 3(1), 168. https://doi.org/10.1038/s43247-022-00498-3

Sturm, M., Holmgren, J., König, M., & Morris, K. (1997). The thermal conductivity of seasonal snow. Journal of Glaciology, 43(143), 26-41. https://doi.org/10.3189/S0022143000002781

Swart, N. C., Cole, J. N. S., Kharin, V. V., Lazare, M., Scinocca, J. F., Gillett, N. P., Anstey, J., Arora, V., Christian, J. R., Hanna, S., Jiao, Y., Lee, W. G., Majaess, F., Saenko, O. A., Seiler, C., Seinen, C., Shao, A., Sigmond, M., Solheim, L., ... Winter, B. (2019). The Canadian Earth System Model version 5 (CanESM5.0.3). Geoscientific Model Development, 12(11), 4823-4873. https://doi.org/10.5194/gmd-12-4823-2019

Verseghy, D., Brown, R., & Wang, L. (2017). Evaluation of CLASS Snow Simulation over Eastern Canada. Journal of Hydrometeorology, 18(5), 1205-1225. https://doi.org/10.1175/JHM-D-16-0153.1

MICKAËL LALANDE

SOCIAL NETWORKS
@LalandeMickael
@mickaellalande
@mickaellalande
mickaellalande.github.io

EMAIL: MICKAEL.LALANDE@UQTR.CA

UQTR Université du Québec à Trois-Rivières
RIVE Centre de recherche sur les interactions bassins versants - écosystèmes aquatiques (RIVE) / Centre for Research on Watershed-Aquatic Ecosystem Interactions (RIVE)
GLACIOLAB Laboratoire de recherche en environnement des régions froides Chaire de recherche du Canada en hydrologie de la cryosphère
ReMoTE-Nord
CENTRE D'ÉTUDES NORDIQUES CEN Centre for Northern Studies
esa European Space Agency